# MISSISSIPPI STATE DEPARTMENT OF HEALIGHUL 17 AM 8: 30 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012 OPT AN INSTANCE OF A SOCIATION Public Water Supply Name OISOOOL, OSOOOL, OISOOOL List PWS 1D #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please check all boxes that apply.

	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: 7/3 / 13, 7/ / / / /
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed://
	CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: The Meteor & The Copias Courty Courton
	Date Published: 7/3//3
	CCR was posted in public places. (Attach list of locations)  Date Posted://
	CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
I he publ	RTIFICATION reby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this lic water system in the form and manner identified above and that I used distribution methods allowed by SDWA. I further certify that the information included in this CCR is true and correct and is consistent with

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: <u>Melanie.Yanklowski@msdh.state.ms.us</u>

## 2012 Annual Drinking Water Quality Report Copiah Water Association PWS ID#: 0150001, 0150002, 0150004 & 0150020 April 2013

2013 JUN 22 PM 12: 23

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation Aquifer. The Copiah Water Association also purchases water from the Town of Hazlehurst with wells drawing from the Catahoula Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact David Boone at 601-892-3738. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of each month at 7:00 PM at the Gallman Office.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Copiah Water Association and the City of Hazlehurst have received lower to higher susceptibility rankings to contamination.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	· UI	JUUU.				ST RESU	<u> </u>						
Contaminant	ninant Violation Date Level Y/N Collected Detected		or # of Samples   Mea			Unit MCLO Measure -ment		MCL.	Likely Source of Contamination				
Microbio		al C	ontami										
Total Coliform Bacteria			Monito	ring		1	IA 	0		presence of coliform bacteria in 5% of monthly samples			
Inorganic	Con	ıtam	inants										
10. Barium	N	2	2012	.001	No	Range	ppm		2	2	Discharge of drilling from metal refineries deposits	wastes; discharge ; erosion of natural	
13. Chromium	N		2012	2.5	2	2.5	ppb	1	00	100	Discharge from stee erosion of natural de		
14. Copper	N	1	2012/14	.0867	0		ppm		1.3	AL≃1.3			

16. Fluoride	N	2012	.109	.108109	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
17. Lead	N	2012/14	2	0	ppb	0	AL=1			
Disinfecti	on By-P	Products	S							
Chlorine	N	2012	1.3	1 – 2	Mg/í	0	MRDL	. = 4 Water additive used to control microbes		
PWS ID#:	015000	02		TEST RESU	LTS					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination		
Microbiol	ogical (	Contam	inants							
1. Total Coliform Bacteria	Y	July	Monitori	ng	NA NA		0	presence of coliform   Naturally present   bacteria in 5% of   in the environment   monthly samples		
Inorganic	Contar	ninants								
10. Barium	N	2008*	.006	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits		
14. Copper	N	2012	.40	0	ppm	1.3	AL≖1.			
17. Lead	N	2012	.17	0	ppb	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits		
Disinfection	on By-P	roducts	<b>S</b>							
Chlorine	N	2012	1.3	.8 - 2	Mg/i	0	MRDL	. = 4 Water additive used to control microbes		
PWS ID#:	015000	)4	,	TEST RESU	LTS	,				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination		
Microbiol	ogical (	Contami	inants							
1. Total Coliform Bacteria		July	Monitorii	ng	NA		0	presence of coliform   Naturally present   bacteria in 5% of   in the environment   monthly samples		
Inorganic	Contar	ninants								
10. Barium	N	2012	.017	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits		
14. Copper	N	2012/14	1.09	0	ppm	1.3	AL≖1.			
17. Lead	N	2012/14	1.7	0	ppb	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits		
19. Nitrate (as Nitrogen)	N	2011*	1.05	No Range	ppm	10	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits		

Disinfection By-Products													
Chlorine	N	2012	1.3	1 – 1.8	Mg/l	0	MRDL = 4	Water additive used to control microbes					

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measur -ment	. 1	MCI	-	Likely Source of Contamination		
Microbiolo	ogical (	Contami	inants								
Total Coliform     Bacteria	Y July M		Monitoring			IA	0	р	presence of coliform bacteria in 5% of monthly samples		
Inorganic (	Contar	ninants									
8. Arsenic	N	2011*	.5	No Range	ppb	n/a	1		Erosion of natural deposits; runoff fro orchards; runoff from glass and electronics production wastes		
10. Barium	N	2011*	.022	.003022	ppm	2	2	- 1	Discharge of drilling wastes; discharg from metal refineries; erosion of natu deposits		
14. Copper	N	2012/14	.04	0	ppm	1.3	AL=	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
16. Fluoride	N	2011*	1.25	.89 – 1.25	ppm	4	1	4	Erosion of natural deposits; water additive which promotes strong teeth discharge from fertilizer and aluminu factories		
17. Lead	N	2012/14	.17	0	ppb	C	AL≔	15	Corrosion of household plumbing systems, erosion of natural deposits		
22. Thallium	N	2011*	.18	No Range	ppb	0.5		2	Leaching from ore-processing sites; discharge from electronics, glass, an drug factories		
Disinfectio	n By-P	roducts	ļ.								
81. HAA5	N	2012	4	No Range	ppb			60	By-Product of drinking water disinfection.		
B2. TTHM Total rihalomethanes]	N	2012	1.21	No Range	ppb	C		80			
Chlorine	N	2012	1.5	1.1 – 1.7	Mg/l	0	MRD	L = 4	Water additive used to control microbes		

<sup>\*</sup> Most recent sample. No sample required for 2012.

Microbiological Contaminants:

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During July2012 we did not complete all monitoring or testing for bacteriological and chlorine contaminants and therefore cannot be sure of the quality of our drinking water during that time. We were required to collect (see below for each system) bacteriological and chlorine samples and we collected 0. On system 150020, in January we also didn't receive credit for our sample because the seal was broke. Also, for the sample period ending 12/31/2012 we did not monitor for Lead and Copper (PBCU).

The number of bacteriological and chlorine samples required are as follows: 0150001 - 2; 0150002 - 3; 0150004 - 2; 0150002 - 1

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain

<sup>(1)</sup> Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

#### \*\*\*\*\*April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Copiah Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

### Copiah County Courier

NEWSPAPER ADVERTISING — PRINTING — OFFICE SUPPLIES — GRAPHIC DESIGN P.O. Drawer 351 • 103 S. Ragsdale Ave. • Hazlehurst, MS 39083 • 601-894-3141 • fax 601-894-3144

#### PROOF OF PUBLICATION

#### STATE OF MISSISSIPPI COUNTY OF COPIAH

Personally came to me, the undersigned, authority in and for COPIAH COUNTY, Mississippi the CLERK of the COPIAH COUNTY COURIER, a newspaper published in the City of Hazlehurst, Copiah County, in said state, who, being duly sworn, deposes and says that the COPIAH COUNTY COURIER is a newspaper as defined and prescribed in Senate Bill No. 203 enacted in the regular session of the Mississippi Legislature of 1948, amended Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a true copy appeared in the issues of said newspaper as follows:

DATE:

State of Mississippi.

DATE:		
DATE:		
DATE:		
DATE:		
Number of Work	der 30	<u> </u>
Published	times	
Printer's fee	\$ 2	47.50
Proof Fee	\$	3.00
JATOT	\$2	50.50
(Signed)  W(c)  (Clork of the) Co		White
SWORN TO and sub		
3 day of Ju	come	20_1-5
A Notary Public in an	d for the Count	y of Copiah

f yas have eny tr naturan to be in the third literary of	Astron about the ented stant have to each stantin at 100	report or concerning your seer cakey if you seem to be plat at the California Office.	water schily, please steerd was provid, please steerd was a review to determ	the me owing sname, so and to consider the	3)-892-3739. Yele ureal out on acided meetings. They are ha bley of the doming water ever
county potential to Arrished to our go have recovered item	owing of contraine the wood system of this higher successful this higher successful	chia. Y tebral conservation of in adaption for Approximation of the Conservation	etalist information on it you request. The west is on	oe for buscoptibilly do y gas Copish Webs Au man have This Gable I	biley of the dentiling water ever kemplistics a view reads fact societies and the City of Hazle ethy fatt all of the Orbital
We could by most contained the court of telegraphic court of telegraphic court of telegraphic and but	tor for oppositionist were distincted sharp topor to bills. As best is and can pick tip s range, that may be	Die Seriod of Jensey 1. To present chei the solitors of photocols or contemborals of Serio seemed (making	December 31", 2012. In time or underpresed. I have the presence of a a place, supply system	in came where transfer obsolves naturally but analis or front buttern is a policidural francoi	ng ween't required to 2017, the eming subservice and, in stores to rowly, improbal contembodes, oppressure, and wholey, mor
conteminants, and cacharges, ob and score water runos autombial processe	y parties and metal gas production, one and represented use by and petaleum or or by the services.	on the major can be necessary or the control of the second content to be seed the second content as and the production and	country of fellow both for and healthfule, which for accuse, frotology symbol ne brow gas stations of aching schiller. In col	y come from a vertera i ic and vicible especial a septic apende, pos or to prouve that tap w	where last and of the combing of water) required in 2017, the company of the comp
may be restorate considered does	of the expount of car in expected to pool not received to book	age conteminants of water) als of head white anough has the work picks to be and abbundations you mist	provided by public mater a of earner ponetilization setth risk. I not be familiar with. Yo	te imported in per the purposed in per	archer that the protection of land more large wo've provid-
in this least you w sidewing ordered Accordings - the	concentration of # Po	villerirani which, if a scounds	nd, kriggers bestroom or	aller rocksberne vis while I a consumitated that he	n a water system must below.
set as despite the Maximum Cantan excepted talk to be	MICE OF AN INVESTIGATION OF THE PARTY OF THE	The Telecomer Alcohol (M using the Seal examine the KZC) - The "Sour (MC(U) for a rough of exist,	armeré lachrológy ; le pie level (d' a contr	navani in direkteg was	e Lebow which Beech is the Soc
Attribuero Assidue el e documentos in Parte por publica (	of Desirbutant Level Lectures by for traff rooms or Selfoxenst p	(ACCIDE) — You tophed lavel of projected part ordrants, or Star (myt) , and part part	or a statement of the pro-	e minute in imo years o	e is consincing existence Pull P a single persy in \$10,000
PWS ID#	An a wasaare	TEST	OVERNAR SESSO RESULTS	nsawasa da	
Consumbrant	Yourse Dat YAI Coles	Lave Range of Led Delected or 9 of 1 Exce SCI	Defacts Und bearing the control of t	ON 140 14	y Equips of Contamination
Milerobio 1. faul Coster Battera	logical Conf		HA.	0 97	nce of contain   Killariby pre scients in 6% of   In the works profyr streets
1	r Contemina		3.4		(I) (I) (I) (I) (I) (I) (I) (I)
10. Barken	N 2012	001 Ho 844		7 2 34 60 100 500 De	Change of Critical mentions of Col- in model refinedors, accosing of the contact (mange from several and findly the along of heating bis position mones of household plumping
18.COVEK	н 2012	14 0607 0	pter	D	fernet gesten af det gest faktet Des fres gestef det geste faktet
10. Physide	H 200	(0) (0)	196		Charge from backing and man
Disinfect	k 200 loa By-Prod	_11	pet		creation of household physiology manus, possible of patients of page
Chorre	]म   अंध	18 11-3	PA	3 Re01 + 1	Place action used to cortrol religious
PWS 1D	V: 0150002   Veisen   D   YM   Col	TESI	RESULTS of Dates   Unit	MOLO WOL IL	saly Dourse of Contamination
Microbi	ological Con	famiuunts	3767   TT		
C Tutal Cords		Market/ng	μ.	<u> </u>	sected of contains   Helevishy b Lectures in 8% of   in the section regulate semples
Inorgan 10 Betos	ic Contamin	ants e' los luce	nue [Bos	7	escriving of Criting washes, dis- processed infraction, mealors of escribin principal of household plantics yearing, escalars of restural day eaching them wood projections
14. Copper	# 201 F: 20		lite No.e	13 ALFIS S ALFIS	corporate of household planticly yellering; excelors of returned dep- eaching ligare supply preservation controllers of powerhold planticle palaring, excelled of exhants day
Disinfo	tion By-Pro	ducta			
10000	_H	149.001945015609.606		11	Nyme addition used to contr microbes
PWS II	OH: 0150004 Valeran Yah Ge	Date Level Plang Ascist Deboted of F	T RESULTS or all descriptions of European Statement Stat	HCLG HCL	Likely Science of Centurylogical
Microb	iological Co	ntaminauts	toma		name of published Heavilly
I, Tetal Cod Bacteria		Any Homenca [			backets in 5% of in the en- marging amorphis
37,4893	nle Contami		and the control of the big block of the first		and the second of the second o

ppi nended ississippi Code ublication of a

noxed is a the issues of ws:

30

\$ 247.50 \$ 3.00

1250.50

Sounty of Copiah,

Disinfection By-Products

CAUCH .	N N O S	2012	0.35	44	140	•	Mar.	Eporget Name system made in media
PWS 1D#	: 01506	94		TEST RES	ULTS.			
Commen	Y-24	Colocial	D-sected	print of Count or if all bymph Earthology WOLDICK		HCCD	**	Land Section of Communities
Microbio	logical						o vijo:	
i Yold (Alfrai Radich		*	Weter	•			•	personal of actions Maturally present parameter 5 % of profess Actions
inorganic	Conta	ini uu vii	i de la composición La composición					(9) Ago (6)
K TIGO	lk.	847	7	He (Mage				Conductor of selling warrant standards true production attacks of selling seconds
u (exe		рфи:		•	144	7	1201.5	Corresion of household plumbing typication and the plumbing
If Lead	K	SOLNIT.	11 030	•	-	•	TIUN.	Provide the Mod Principal Lands
ID NO ONE GOT		ioni	1,06	His (Namps	700	la C		
A		ARREST		124 11 1111		. 10.		And the second s

Charte	Dias.	MI	123.55	1414	£		1974	TWO WINDS SOULD DOWN
American Control		9	(****)	120000000000000000000000000000000000000			7777	PAYSOL.
						2000	Control of	
1941 SVP				TEST RESE			(6) i	30.00
Curativas	Yan Yan	Colories Colories	134	Range of Defeate or of Georges Security	Here's Market Mark	1000	W.	Linely Branco of Continuous con-
Microbial	gical (	ontain	LEE					
Tru Calara Barada	7	124	Model				1	Because of Schillers   Subschill See
Inorganie	Contr	alauzis			S. V		, No.	
F.6944	¥	1011		ito Renge	***			Exercise of makes superate smooth in terminate, march from green and elementary production marries
ID EWAR		NIT.	<b>24</b>	514 PE	1	27		Districtory of different states, districts from providing spinors of and disposal a
H. CANED	(2/2)	254304	4	•	*	13	A) I	Computed of furnishing plumping systems; product of named deposits bracking from proof primer palvage
is from	H.	pon"	18	B 18	P**			Explaint of satural partiety when bodder with the pressure planty had derivate them bodder and shown factories.
17341 T	N	30(3/16	M.ja	•	(17)	0.88	10000	Companie of Personal State of
17 1441.65	H	2)117	14	He flesqu	***	9,1	300	Laurahy how pro-parametry state decrease from plackwist, glass, a log legisles
Disinfection	g Dy-l	round	•					
H MU	Time	250	1000	Holiston	] PHO	7 7	100 A	O Definite of String wall
a Yingi fetal	¥	2512 .77.	14	ha filibya	<b>M</b>	•	337	C Sy product of Strategy years charteston
Deme	B	ecu :	1727	10-0	w	1006	1000	When before used to sensul

# The WETEOR, INC.

ESTABLISHED 1881 Crystal Springs, Mississippi 39059 State of Mississippi, Copiah County

in and for said County and State, HENRY

Page 5A, Wednesday, July 3, 2013

#### Jack/Bear Creek Commu DENEEN ANDERSON

Hello everyone! It's been a while I know, but it has been one thing after another. I went to Maryland and Washington, D. C., for seven days. We celebrated our 27th wedding anniversary. I had to go to the hospital one night (it was pleurisy this time). And I have been very busy getting ready for my upcoming national pageant in Chicago. I'm trying to stay calm and enjoy this experience!

Sunday Br. Gerald's sermon topic was entitled "Look, It Is Your God." Scripture was Isaiah 40. Isaiah's reminder for his people: "All flesh is grass, and all the goodliness thereof is as the flower of the field... The grass withereth, the flower fadeth; but the word of

MH Î

овон

lw qia

cat, no

150Q J

บระจา

stadse

... The grass withereth, the flower fadeth; but the word of our God shall stand forever." (verses 6, 8) Human beings are fickle, blown about with every wind of doctrine. Life is short and filled with uncertainties. We do not know what tomorrow will bring, but "the word of our God shall stand forever."

We live in a changing world. Many of the truths we hold dear are being challenged on every hand. "Political correctness" has turned many of our moral values upside down. What was once good is considered bad, and what was once considered bad is widely accepted as good. God does not change. He is the same yesterday, today, and forever. In God's eyes, sin is still sin, and judgment will surely come. "How shall we

God's not chi for a si life in world, who gi tion or word s Afti lunch ship bi of Juljoyed

and ping The ence of estants ground Joe W repress Nancy Wedne reaction about the children of t

Bib July young to go and fe church invited homed the evithere (

camp had be a Augus coming be Rey of Mol Cel are Mill tu Cody

25 on 1

Sun

CARNEY, Publisher of The Crystal Springs Meteor, a newspaper published at Crystal Springs, Mississippi, who on oath says the notice a copy of which is hereto attached, was printed ON V. consecutive times in said paper as follows: Total Cost \$\_ Sworn to and subscribed before me this

Notary Public

ersigned 101000

**County and State, HENRY** 

orings Meteor, a newspaper

sippi, who on oath says the

to attached, was printed

2013 JUL 17 AM 8: 30

1881 issippi 39059 opiah County

TEOR

#### Crystal Springs, Mississippi 39059

2012 Annual Drinking Water Quality Report Copiah Water Association PWS ID#: 0150001, 0150002 & 0150020 April 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we definer to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from welts drawing from the Catahoula Formation Aquifer. The Copieh Water Association also purchases water from the Textelburst with wells drawing from the Catahoula Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact David Boone at 601-892-3738. We want our valued costomers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of each month at 7:00 PM at the Gallman Office.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing identialed information on how the susceptibility determinations were made has been translated to our public water system and is available for viewing upon request. The wells for the Copiah Water Association and the City of Haziehurst have received lawer to higher susceptibility makings to contamination.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water conteminants that were detected during the period of January 1st to December 3st. 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water trayels over the surface of land or underground, it dissolves naturally occurring minarals and, in some cases, as viruses and bacteria, that may come from sawage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as selts and metals, which can be naturally occurring or result from urban storm-water monif, industrial, or domestic westowater discharges, bit and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources sich as agriculture, urban storm-water mundif, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and portolesin production, and can also come from gas stations and expits explants; addicative contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes are requisitions that limit the amount of certain contaminants in water provided by public water, selems. All drinking water, factuding bottled drinking water, constituents does not necessarily indicate that the water poses a health risk.

In this lable you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Lovel Goe! (MCLG) - The "Goel"(MCLG) is the level of a contaminant in drinking water below which there is no known of expected risk to health. MCLGs allow for a margin of earlety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N			Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likaly Source of Co	ntamination
Microbio	logical	Contam	inants						
1. Total Collion Bacteria	n Y	January July	Monito	orieg	NA		0	presence of coliform bacteria in 5% of monthly samples	Naturally present in the environme
Inorganic	Conta	minants							
10. Barium	N	2012	.001	No Ranga	ppm	2 3	2	Discharge of drilling from metal refineries deposits	wastes; discharge ; erosion of natura
13. Chromlum	N	2012	2.5	2-25	ppb	100	100	Discharge from stee erosion of natural de	and pulp mills;
14. Copper	N	2012/14	.0867	0	pom	1.3	AL-1.3	Corrosion of housels systems; erosion of	old plumbing
						3 45.44	As a regional	ava ananevini	0.8340 13.42
18. Fluoride	N				27.1	44735 1.1	11.0	leaching from wood	preservatives
estra appe Descripción		2012	109	.108109	ppm	4		Erosion of natural de additive which prome discharge from fertill factories	posits; water
17. Load	N	2012/14	2	0	bop	Đ	AL≈18	Corresion of housels systems, erosion of	old plumbing
Disinfection	on By-F	roducts	 }		1,350				
Chlorina	N	2012	1.3	1-2	Mg/l	0	MRDL = 4	Water additive use	ed to control
PWS ID#:	015000	)2	r	rest resu	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects	Unit	MCLG	MCL	Likely Source of Con	amination

Microbiological Contaminants

Monitoring

1. Total Coliform

mes in said paper as follows: Notary \$ **Total Cost \$** ∠ Publisher

<sup>2</sup>ublic

presence of colliform | Naturally present

Inorgan	N N	2000	.000	No Range	Pern	<b></b>	21	and the state of t
				1	Party (		1	Discharge of draining wastes; discharge metal refineties; erceion of natioposita.
14. Copper	H	2012	.40	0	· Islou	,	3 AL#1.	3 Corresion of household plumbing
7.1000	"	2012	,17	0	ppb	<del> </del>	O AL-1	6 Corresion of household reproving
Disinfec	tion By	Pradu	ıta				- Asset	systems, emelon of natural deposits
higana	TN	2012	13.3	).6 · 2	Hos	7	0 MADL	e 4 Water additive used to control
					J	J.,	1	microbes
PWS ID				TEST RES	SULTS			
Oniamolari	Vestatio Vine	n Data Colecte	Love! Delected	Range of Dates of # of Sample Exceeding MGL/ACL	Measure Measure Ment	MCLG	MCL	Likely Source of Contambiation
licrobic	lugical		ninants		TAX.			
Total Colduc ecteria	n Y	July	Monkor	ing	NA.		0	presence of coldorn Heturelly present to the environm monthly samples
							A GASA	monthly samples
norgani Danum	Conts	3012	017	No Renge	ppm			
1. Copper	٠,		1 .		ppen		1 2000 2 1 2 2 2 0 0	Discharge of driting wester; discharg from metal refinarios; ercalon of ruru deposits
	.   "	2012/14	1.09	0	ppm		AU+1.3	Corresion of household prumbing systems; erosion of natural deposits; iesoffing from wood preservatives
Leas	N	2012/14	17	0	PPb	9	AL=16	
(ogen)	N.	2011*	1,05	Ho Ranga	pom	10	10	systems, procion of natural deposits Runoff from fortilizer use; jesting fro septic tanks, sewage; procion of netu
		100000	Committee (Co.	1.5500000000000000000000000000000000000	Section 1	Sipas:		deposits
isinfecti	on By-	Product	s					
hiorine	"	2012	1.3	1-1,8	Мол	0	MROL .	
				757, 6 1191	20 160 1	W 1	200	microbas
WS ID#	: 01500			TEST RES		<b>₩ - ₩</b>		
Oliteridibili	YOU	Date Cohocted	Level Delected	Plange of Detects or # of Samples Exceeding	Unit Measure	MCLG	MCL	Likely Source of Contamination
	4.35.33		1 1. may 22.	MCL/ACL	-Man	9000	100 Miles	With State William Course Street
Total Coliforn cieria	] *	Suy	Menkonns		]w	1	<u> </u>	presence of copform   Heturely procedure to 8% of in the environmental transitive samples
Total Coeform cieria	] *	Suy	Menkoring	1			WOMEN	Ni di una secretari
Tierobiol Total Costorm cloria Torgunic Acente	Conta	uinants	Menkonns	No Hange	ppb	IV4	10	Erosion of natural deposits; mooff for proclams; unoff from place and electronics production wastes
Total Conformations closis  ENT GH D I C  Amento  Harium	Contai	2011*	Menkoning  A	No Flange .003022	pp/n	2	10	Erosion of natural deposits, most from orchests; sunoil from glass and alpotronics production wester. Obscharge of drilling waster, decharge from metel orderies: amoign or nature.
Total Colform confa I OF GH D I C Arcanto Barium Copper	Contai	2011* 2011* 2012/14	.A022	No Hange	ppb		10	Erosion of natural deposite; spooli fros occlustia; spool from place and approximate production westers. Deposition of natural depositions of natural from metal references; smooth on classifications of positions o
Total Conformations closis  ENT GH D I C  Amento  Harium	Contai	2011*	Menkoning  A	No Flange .003022	pp/n	2	10 2 ALH.3	Erosion of natural deposits, modification occasing smooth from glass and sociating production varieties. Obscharge of criticing varieties, Gockarge of criticing varieties, Gockarge of criticing varieties, anything of natural deposits.  Controllers of household plumbing passants, anothers of natural diospecials, passants, anothers of natural diospecials.
Total Colform confa I OF GH D I C Arcanto Barium Copper	Contai	2011* 2011* 2012/14	.022 .04	No Ranga .005022 0 .00 - 1.25	ppb ppm ppm	1,3 1	4 ALH.5	Erceion of natural deposite; proof from positivate; annoth from plass sed subcroning position wester becomes a strategy care of cachange to compare a strategy cachange deposite; and cachange cachange cachange and cachange cachange cachange and cachange cachange parameter produce on make a deposite parameter produce produce parameter produce parameter
Total Costormicania  Forganic  Arcente  Warkern  Copper	Contai N N	2011* 2012/14 2011*	.A	No Range .005022	ppb ppm ppm	1,3	AL-15	Enclaim of challent depocities provid for orchitectic princip processing state from places and state containing state of firm in places and state containing production weaker. Oncleaning and state of containing and state o
Total Coaldon coloria norganic Arento Barium Copper	Contai N N	2011: 2012/14 2012/14 2012/14	.A	No Range .003022 0 .00 - 1.28	ppb ppm pph ppb	1,3	AL=1.3 AL=1.5	Entation of ratival deposits, modified exchange in a control production was to exchange in the control production was to exchange of cities (was to exchange
Total Coldon  Total Coldon  Herginal Coldon  Hadium  Copper  Load  Totalsum	Contai	2011* 2011* 2012/14 2011* 2012/14 2011*	Menkons	No Range .003022 0 .00 - 1.28	ppb ppm pph ppb	1,3	AL=1.3 AL=1.5	Entation of statural depending mouth first ordinated in the regional production was the statements production was the statements production was the statement of the statement o
Total Conformation (conformation)  TOT HILL TOTAL CONTROL TOTAL CONTROL CONTRO	Contai	2011* 2011* 2011* 2011* 2011* 2011* 2011* 2011*	Mentioning  4  1022  04  117  116	No Pange  000 - 022  0  0  000 - 126  0  100 Pange	PPD	1,3	AL=1.5 AL=1.5 AL=1.6	Entation of natural deposits, sould for controlled supplied that the second supplied that the second supplied to the second supplied to the second supplied to the second supplied to the second supplied supplied to the second supplied sup
Total Conformation (Conformation )  Organic (Copper )  Processes (Copper )	Contai N N N N N N N	2011 2011 2011 2011 2011 2011 2011 2011	Mentioning  A	No Range  0 003 - 022  0 0 0 000 000 000 000 000 000 000	pph ppm ppm ppm	1,3	AL=1.5 AL=1.5 AL=1.5	Enclair of natural deposits; modified selections production weeks selections production weeks; modified selections production weeks; modified selections production weeks; modified selections weeks; modified selections selections are selections as a selection of each selection selections are selections for selection selections are selected from weeks of selection selections are selected from week products are selected from weeks selection selections. Enclair of natural deposits weeks address which promotes selection selections are selected from the following selection selections are selected from the following selections are selected from the following selections are selected from the following selection selections are selected from the following selections, greater and selections are selected for the selections of the selections
Total Conformation of the	Contai N N N N N N N	2012/14 2012/14 2012/14 2012/14 2012/14 2012/14 2012/14 2012/14	A	No Pange  000 - 022  0  0  000 - 126  0  100 Pange	PPD	1.3 1.3 0 0.5	AL=1.5 AL=1.5 AL=1.6	Encion of chairs! depochs, sould for containing used from optimization optimization in the season in the containing used from these and sheateneds production weakles because of chairs and the containing of chairs and the containing of chairs and the containing of however of makes it disposals, seading from workshed plumbing systems, evolving of makes it disposals, seading from workshed plumbing seading from the objection of seasons and the containing of the containing of the containing of the containing from the containing of the containing from the containing
Total Conformation of the	Contai	2011: 2012:4 2011: 2012:4 2012:4 2011: 2012:4 2011: 2012:4 2012:4 2012:2 2012: 2012:2	.0 .022 .04 .17 .18 .18 .1.81	No Range  0.003 - 0.022  0  0  0.003 - 1.26  0  No Range  No Range	pph	2 1.3 4 0 0.8 0.8	10 10 2 AL=1.5 AL=1.5 2 SO 60 MSUDL=4	Erosion of chicked deposity, speed for conclusing sund from glass and statements production was assumed to conclusing sund from glass and statements production was seen as a statement production was seen as a statement of chicked and statement of chicked and statement of chicked and statement of making deposits and statement of making
Total Conformation  SOFT HID Conformation  Copper  Fronting  Front	Contal N N N N N N N N N N N N N N N N N N N	2011- 2011- 2011- 2011- 2011- 2012-	4 1.21 1.6 (or 2012) on substilly or substill or substi	No Flange	ppm ppm ppm ppm ppb ppb ppb ppb	0.000000000000000000000000000000000000	4 AL=1.5 AL=1.6 2 SO	Endon of takent depocing mould for occupant production and takent depocing mould for occupant production was between production was the second production of ealth occupant production occupant p
Total Conformation  SOFT HID Conformation  Copper  Fronting  Front	Contal N N N N N N N N N N N N N N N N N N N	2011- 2011- 2011- 2011- 2011- 2012-	4 1.21 1.6 (or 2012) on substilly or substill or substi	No Flange	ppm ppm ppm ppm ppb ppb ppb ppb	0.000000000000000000000000000000000000	4 AL=1.5 AL=1.6 2 SO	Endon of their dispession model for occupied regional production p
Total Conformation  SOFT HID Conformation  Copper  Fronting  Front	Contal N N N N N N N N N N N N N N N N N N N	2011- 2011- 2011- 2011- 2011- 2012-	4 1.21 1.6 (or 2012) on substilly or substill or substi	No Flange	ppm ppm ppm ppm ppb ppb ppb ppb	0.000000000000000000000000000000000000	4 AL=1.5 AL=1.6 2 SO	Endon of takent depocing mould for occupant production and takent depocing mould for occupant production was between production was the second production of ealth occupant production occupant p
Total Conformation of the	Contain N N N N N N N N N N N N N N N N N N N	2012/14 2011- 2012/14 2011- 2012/14 2011- 2012/14 2011- 2012 2012 2012 2012 2012 2012 201	A	No Range  005 - 022  0  0  100 - 022  0  No Range  No Range  No Range  11 - 1.7  Lett in the enviscopy  of oils vas vanning  ng July 2012 we of one o	ppb ppm ppm ppm ppm ppm ppb ppb ppb ppb	1.3 1.3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AL=1.5 AL=1.5 AL=1.6 2 Both MSUDL = 4 Stator that of legularizing on watering on watering on watering on the control of the co	Endon of raboral deposites, modifies orchards reported expensions production was to expension production varieties experiencing production varieties experiencing production varieties experiencing production varieties of endors and expension of resoluted production varieties expension of resoluted expensions of production of endors expension expensions expension expensions expension expensions expension expensions expension expensions expen
Total Conformation of the	Contain N N N N N N N N N N N N N N N N N N N	2012/14 2011- 2012/14 2011- 2012/14 2011- 2012/14 2011- 2012 2012 2012 2012 2012 2012 201	A	No Range  005 - 022  0  0  100 - 022  0  No Range  No Range  No Range  11 - 1.7  Lett in the enviscopy  of oils vas vanning  ng July 2012 we of one o	ppb ppm ppm ppm ppm ppm ppb ppb ppb ppb	1.3 1.3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AL=1.5 AL=1.5 AL=1.6 2 Both MSUDL = 4 Stator that of legularizing on watering on watering on watering on the control of the co	Endon of raboral deposites, modifies orchards reported expensions production was to expension production varieties experiencing production varieties experiencing production varieties experiencing production varieties of endors and expension of resoluted production varieties expension of resoluted expensions of production of endors expension expensions expension expensions expension expensions expension expensions expension expensions expen
Total Conformation of the	Contain N N N N N N N N N N N N N N N N N N N	2012/14 2011- 2012/14 2011- 2012/14 2011- 2012/14 2011- 2012 2012 2012 2012 2012 2012 201	A	No Range  005 - 022  0  0  100 - 022  0  No Range  No Range  No Range  11 - 1.7  Lett in the enviscopy  of oils vas vanning  ng July 2012 we of one o	ppb ppm ppm ppm ppm ppm ppb ppb ppb ppb	1.3 1.3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AL=1.5 AL=1.5 AL=1.6 2 Both MSUDL = 4 Stator that of legularizing on watering on watering on watering on the control of the co	Endon of raboral deposites, modifies orchards reported expensions production was to expension production varieties experiencing production varieties experiencing production varieties experiencing production varieties of endors and expension of resoluted production varieties expension of resoluted expensions of production of endors expension expensions expension expensions expension expensions expension expensions expension expensions expen
Total Conformation of the	Contain N N N N N N N N N N N N N N N N N N N	2012/14 2011- 2012/14 2011- 2012/14 2011- 2012/14 2011- 2012 2012 2012 2012 2012 2012 201	A	No Range  005 - 022  0  0  100 - 022  0  No Range  No Range  No Range  11 - 1.7  Lett in the enviscopy  of oils vas vanning  ng July 2012 we of one o	ppb ppm ppm ppm ppm ppm ppb ppb ppb ppb	1.3 1.3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AL=1.5 AL=1.5 AL=1.6 2 Both MSUDL = 4 Stator that of legularizing on watering on watering on watering on the control of the co	Endon of raboral deposites, modifies orchards reported expensions production was to expension production varieties experiencing production varieties experiencing production varieties experiencing production varieties of endors and expension of resoluted production varieties expension of resoluted expensions of production of endors expension expensions expension expensions expension expensions expension expensions expension expensions expen
Total Conformation of the	Contain  N  N  N  N  N  N  N  N  N  N  N  N  N	Jay	Adenticos,  0 22  04  1.26  1.77  1.17  1.16  4  1.41  1.41  1.41  1.56  60 2012  respectively consistently c	No Range	ppb ppm ppm ppm ppm ppm ppm ppm ppm ppb ppb	2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	AL-13 AL-13 AL-13 AL-15 AL-15 BORDA - A BORDA - A BORDA - A BORDA - B BORDA	Entation of channel dependent model for conclusion, useful representation, and many plants and selectionize production weather selection production of manual disposals selecting from weather selection of manual disposals selecting from weather selection of manual disposals selecting from one of manual disposals disposals of selecting from one of manual disposals selecting from one of manual disposals selecting from one of consolidation production of selecting selection selectio
Total Conformation of the	Contain  N  N  N  N  N  N  N  N  N  N  N  N  N	Minants 2011 2011 2011 2011 2011 2011 2011 201	Adenticos,  0 22  04  1.26  1.26  1.77  1.6  6 2012  on searchly centrally c	No Range	ppb ppm ppm ppm ppm ppm ppm ppm ppm ppb ppb	2 2 1,3 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AL-13 AL-13 AL-13 AL-15 AL-15 BODD BODD BODD BODD BODD BODD BODD BOD	Entation of channel dependent useful first ordered that the production was the secondary frame from plans and selectronic production was the secondary frame from plans and selectronic production was the secondary of the production was the production of channel dependent production of makes all depending from your plans and production of makes all depending from your plans and production of makes all depending makes and production of makes all depending makes and production of particular and all depending makes and production of channels are channels and channels and production of channels are channels and channels and channels are channels and channels and channels are channels are channels and channels are channel
Total Confermation of the control of	Contain  N  N  N  N  N  N  N  N  N  N  N  N  N	Any District 2011 2012 2012 2012 2011 2012 2011 2012 2011 2012 201	A	No Range  0.003 - 0.022  0  0.003 - 0.022  0  No Range	ppb ppm ppm ppm ppm ppm ppm ppb ppb ppb	2 2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	AL-13 AL-13 AL-13 AL-13 AL-15 AL-15 AL-15 AL-15 AL-15 AL-15 AL-15 AL-16	Enclaim of chalcel depocits, proud for conclusing rated from place and statements production weekle conclusing the production weekle statements production weekle statements production weekle and statements are proton of natural depocits, and the production of the
Total Conformation of the confidence of the conf	Contain  N  N  N  N  N  N  N  N  N  N  N  N  N	Any District 2011 2012 2012 2012 2011 2012 2011 2012 2011 2012 201	A	No Range  0.003 - 0.022  0  0.003 - 0.022  0  No Range	ppb ppm ppm ppm ppm ppm ppm ppb ppb ppb	2 2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	AL-13 AL-13 AL-13 AL-13 AL-15 AL-15 AL-15 AL-15 AL-15 AL-15 AL-15 AL-16	Endon of chairel depodes modified controlled into occupant production was become production of making depodes was become production of making depodes where the production was become the depode production of control was become to be depode production was become to be depode production was become to be depoded with the was become to be depoded wi

PRE-SORTED FREE CONTED FREE CO

NO FINAL NOTICE WILL BE SENT.

P.D. BOX 325 + Gallman, MS 39077 WATTER ASSOCIATIOND STR的 1982-3738 FOR SERVICE AT:

			/13	MOTTON	ي	<b>∃</b> 000	WTR				P.	70
	CUSTOMER NO.	DATE DUE	07/15/13	CONSUMPTION			37.00			<del></del>	LATE TOTAL	40.70
	custo	۵	0	TREADING	253	ALICCION E				IMPORTANT MESSAGE ON BACK	_	0
		STAT	ď	CURREN				***************************************		ESSAGE	PENALTY	3.70
	R4/9565/180-1		13	SREADING	247		GES			TANT M	ă	
7	\$9.35/A	BILL DATE	06/28/13	PREVIOU	_وم_	Non	WATER CHARGES			IMPOR	OUNT	37.00
OD SERVICE AL.	<b>ፚ</b> ፟	m	90	DATE READ PREVIOUS READING CURRENT READING	062213	NOLLABOR	WATER		÷		NET AMOUNT	37
-	i			l™		BOTE .				ļ	, i	

LA Protho PLEASE BRING ENTIRE BILL WHEN MAKING PATINENT IF FIGHTING BY WAIL, ENCLOSE THIS STUB WITH CHECK, CANCELLED CHECK IS YOUR RECEIPT. CCR. R.P.T. AVAILLABLE @OFFICE CUSTOMER NO. DATE DUE 07/15/2013 PrivA70 4 / 4 0 7 1 0 - 1 NET 3 MOUNTO

JERRY LONG PO BOX 277

GALLMAN, MS 39077

Payable by Date Due. Any Balance 2 Months Past Due will be
Disconnected on the next working day after the 15th day of month.